



**KINKELDER**<sup>®</sup>  
the cutting experts

# CX SERIES



**CX SERIES**

**TCT SERIES**

The new standard in TCT cutting

# The cutting edge for solids



The PVD coated, carbide tipped CX 1 saw blade has been developed for cutting solid steel with tensile strengths between 800 - 1,600 N/mm<sup>2</sup> at very high production rates. Bigger tips are applied at pitches > 9mm for added stability.

**MATERIALS:** Hard solid steel with a tensile strength between 800 and 1,600 N/mm<sup>2</sup> on high performance machines

**PARAMETERS:** Suggested cutting speed: 120 - 240 m/min. Feed: 0,04 - 0,10 mm/tooth.

**MACHINES:** Kasto, FongHo, Tsune, Amada, Eisele, Behringer, Bewo, Rattunde, Sinico, Nishijima, Everising, Ficep, Mega, Exactcut



CX 6 saw blades are carbide tipped and PVD coated for cutting solid stainless steel. With their proprietary geometry, very fast cutting and good surface finish can be achieved. Depending on steel grade and dimensions, dedicated tooth geometries are available.

**MATERIALS:** Austenitic stainless steel solids

**PARAMETERS:** Suggested cutting speed: 80 - 120 m/min. Feed: 0,06 - 0,12 mm/tooth.

**MACHINES:** Tsune, Amada, Mega, Kasto, Kentai, Behringer, Exactcut, Everising



CX 7 is a Cermet tipped, PVD coated saw blade dedicated to cut low to medium strength carbon steel. On many applications, a blade life of 50 m<sup>2</sup> and more can be achieved.

**MATERIALS:** Solid materials with a tensile strength up to 800 N/mm<sup>2</sup>


**PARAMETERS:** Suggested cutting speed: 80-140 m/min. Feed: up to 0,10 mm/tooth.

**MACHINES:** Kasto, Nishijima, Tsune, Amada, Behringer, RSA, Rattunde, Sinico, Mega, Exactcut, Everising

For more information:

[www.kinkelder.com](http://www.kinkelder.com)

# High performance tube cutting



The CX 3 saw blade has been developed for cutting tubes on high performance automatic sawing machines, at a higher maximum cutting speed than with HSS saw blades. It is most effective on sawing machines with accurate control of chip load and variable feed rate. Bigger tips are applied at pitches > 9mm for added stability.

**MATERIALS:** Steel tubes with a tensile strength between 600 to 1,500 N/mm<sup>2</sup>

**PARAMETERS:** Suggested cutting speed: 180 - 280 m/min. Feed: 0,04 - 0,16 mm/tooth.

**MACHINES:** Rattunde, Sinico, Bewo, RSA, Plantool, Adige, OMP



The high nickel content of austenitic stainless steel tubes makes them difficult to cut with HSS saw blades. With the dedicated tooth geometry of the carbide tipped and PVD coated CX 4 saw blade, perfect surface finish and burr-free tube ends will be achieved.

**MATERIALS:** Austenitic stainless steel tubes

**PARAMETERS:** Suggested cutting speed: 80 - 140 m/min. Feed: 0,06 - 0,12 mm/tooth.

**MACHINES:** Rattunde, Bewo, RSA, Sinico



The CX 5 saw blade has been specifically designed to cut thin walled tubes. Because of its light cutting properties it is also very well suited for use on a wide range of automatic cut-off machines.

**MATERIALS:** Thin wall high hardness tube cutting on lighter machines. High performance cutting of thin walled tubes and unstable profiles on high-end machines.


**PARAMETERS:** Suggested cutting speed: 160 - 280 m/min. Feed: 0,025 - 0,12 mm/tooth.

**MACHINES:** Kasto, Bewo, RSA, Adige, Sinico, Rattunde





**KINKELDER**<sup>®</sup>  
the cutting experts



**Kinkelder BV  
Corporate Headquarters**

Nijverheidsstraat 2  
(Industrial Area Zuidspoor)  
NL-6905 DL Zevenaar  
P.O. Box 242  
NL-6900 AE Zevenaar  
The Netherlands

T: +31 (0)316 58 22 00  
F: +31 (0)316 58 22 17  
info@kinkelder.nl  
www.kinkelder.com

**Kinkelder Belgium  
N.V./S.A.**

Sint-Pieters-Leeuw, Belgium  
T: +32 (0)2 465 64 42  
info@kinkelder.be  
www.kinkelder.be

**KR Saws**

Coventry, United Kingdom  
T: +44 (0)24 7661 0907  
sales@krsaws.co.uk  
www.krsaws.co.uk

**Kinkelder France SA**

Orchies, France  
T: +33 (320) 71 02 12  
sales@kinkelder.fr  
www.kinkelder.com/fr

**Kinkelder France**

Messein, France  
T: +33 (383) 539713  
info@kinkelder.fr  
www.kinkelder.com/fr

**AMV Service**

Le Chambon Feugerolles  
France  
T: +33 (477) 405229  
info@amvservice.com  
www.amvservice.com

**Sepio spol s.r.o.**

Zborovice, Czech Republic  
T: +420 (0)57 366 91 35  
sepio@sepio.cz  
www.sepio.cz

**Kinkelder Cutting  
Technology Co., Ltd.**

Suzhou City, China  
T: +86 (0)512 693 68 780  
info@kinkelderchina.cn  
www.kinkelder.com/cn

**Saws International  
USA Headquarters**

Machesney Park (IL), USA  
T: +1 (815) 965 6900  
info@sawsinternational.com  
www.sawsinternational.com

**Kinkelder Saw Inc.**

Canton (MI), USA  
T: +1 (734) 453 1199  
info@kinksaw.com  
www.kinkelder.com/en

**Kinkelder Cutting  
Solutions Inc.**

Louisville (KY), USA  
T: +1 (502) 329 8244  
cridge@kinkelderusa.com  
www.kinkelder.com/en

**Alabama Cutting  
Technologies**

Pell City (AL), USA  
T: +1 (205) 884 49 71  
info@alcuttingtech.com  
www.alcuttingtech.com

**KTS Sägetechnik GmbH**

Zülpich, Germany  
T: +49 (2252) 835178-0  
info@kts-saetechnik.de  
www.kts-saetechnik.de

**Grasche GmbH**

Remscheid, Germany  
T: +49 (0) 2191-5615-0  
info@grasche.de  
www.grasche.de

**DOWNLOAD OUR  
FREE APP NOW**



or scan

